

Nierhaus et al.
System and Method for Indicating a Speaker During a Conference 2003P04477US
Filed Herewith
Sheet 1 of 8




Nierhaus et al. System and Method for Indicating a Speaker During a Conference 2003P04477US Filed Herewith Sheet 2 of 8




Nierhaus et al.

System and Method for Indicating a Speaker During a Conference
. 2003P04477US
Filed Herewith
Sheet 3 of 8



EG.(3)

Nierhaus et al. System and Method for Indicating a Speaker During a Conference 2003P04477US Filed Herewith Sheet 4 of 8




Nierhaus et al.

System and Method for Indicating a Speaker During a Conference 2003P04477US

Filed Herewith

Sheet 5 of 8




Nierhaus et al.

System and Method for Indicating a Speaker During a Conference 2003P04477US

Filed Herewith

Sheet 6 of 8



Nierhaus et al. System and Method for Indicating a Speaker During a Conference 2003P04477US Filed Herewith Sheet 7 of 8




FIG: 8

Nierhaus et al. System and Method for Indicating a Speaker During a Conference 2003P04477US Filed Herewith Sheet 8 of 8 554 CLOCK 564 RAM 556 OUTPUT DEVICE 562 ROM 558 INPUT DEVICE FIG. 9 560 552 COMM. PORT CONTROL PROGRAM 566 572 570 CONFERENCE PARTICIPANT INFORMATION CHANNEL INFORMATION 550 PROCESSOR